

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
YUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Hy-Lok Corporation

MANUFACTURERS ADDRESS: 97, Noksansandan 27-ro, Gangseo, Busan, Korea

PLANT LOCATIONS: Busan, Korea

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B31.3 - 2012

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

Hy-Lok

FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Design Schedule, Design Plan, Control of Design Interface, Design Specification Data Sheet, Design Input Review, Checklist, Drawing, Design Calculation Sheet, Calculation Verification Sheet, Design Verification Checklist, Design Validation, Catalog

Instrumentation Valves and Fittings per attached scope of registration

DECLARATION:

H.G. MOON (see note 3) employed by Hy-Lok Corporation and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Busan, Korea

This 16TH day of September AD 2015

Commissioner of Oaths or Notary Public: (sign) [Signature]


USE THIS SPACE FOR OFFICIAL SEAL

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C15291.2

FID#: 15234



C.R.N. 0C15291.28

Dwg. as described

Signed [Signature]

1 of 1 Part



Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

N BRUNSWICK
NAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Hy-Lok Corporation

MANUFACTURERS ADDRESS: 97, Noksansandan 27-ro, Gangseo, Busan, Korea

PLANT LOCATIONS: Busan, Korea

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Flanges: all flanges Valves: all line valves Expansion joints, flexible connections, and hose assemblies: all types Strainers, filters, separators, and steam traps Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs Pressure retaining components that do not fall into one of the above categories Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	ASME B31.3 - 2012

LOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	MATERIAL OF CONSTRUCTION
Hy-Lok	FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Design Schedule, Design Plan, Control of Design Interface, Design Specification Data Sheet, Design Input Review, Checklist, Drawing, Design Calculation Sheet, Calculation Verification Sheet, Design Verification Checklist, Design Validation, Catalog

Instrumentation Valves and Fittings per attached scope of registration

DECLARATION:

H.G. MOON (see note 3) employed by Hy-Lok Corporation and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Busan, Korea

on the 16TH day of September AD 2015

Commissioner of Oaths / Notary Public: (sign) [Signature]

USE THIS SPACE FOR AN OFFICIAL SEAL

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC15291.2

FID#: 15234

C.R.N. OC15291.29

DATE: Oct 30 2015

[Signature]
INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Sect. 1.0 - Fittings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

EW BRUNSWICK
UNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Hy-Lok Corporation

MANUFACTURERS ADDRESS: 97, Noksansandan 27-ro, Gangseo, Busan, Korea

PLANT LOCATIONS: Busan, Korea

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B31.3 - 2012

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

Hy-Lok

MATERIAL OF CONSTRUCTION

FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Design Schedule, Design Plan, Control of Design Interface, Design Specification Data Sheet, Design Input Review, Checklist, Drawing, Design Calculation Sheet, Calculation Verification Sheet, Design Verification Checklist, Design Validation, Catalog

Instrumentation Valves and Fittings per attached scope of registration

DECLARATION:
H.G. MOON (see note 3) employed by Hy-Lok Corporation and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Busan, Korea
 This 16TH day of September AD 2015
 Commissioner of Oaths or Notary Public: (sign) [Signature]

USE THIS SPACE FOR OFFICIAL SEAL

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C15291.2
 FID#: 15234

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Newfoundland
 Labrador
 Service NL
 Registered 0C15291.20
 Date 15/10/30
 Engineering and Inspection Services
 Registered [Signature]
 UNDER THE AUTHORITY OF THE
 PUBLIC SAFETY ACT AND
 THE BOILER, PRESSURE VESSEL AND
 COMPRESSED GAS FITTINGS REG. 1906/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
JUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Hy-Lok Corporation

MANUFACTURERS ADDRESS: 97, Noksansandan 27-ro, Gangseo, Busan, Korea

PLANT LOCATIONS: Busan, Korea

- CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**
- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 - B Flanges: all flanges
 - C Valves: all line valves
 - D Expansion joints, flexible connections, and hose assemblies: all types
 - E Strainers, filters, separators, and steam traps
 - F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 - G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 - H Pressure retaining components that do not fall into one of the above categories
 - N Nuclear components: Class 1 Class 2 Class 3 , (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B31.3 - 2012

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

Hy-Lok

TYPE OF CONSTRUCTION

FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:


Design Schedule, Design Plan, Control of Design Interface, Design Specification Data Sheet, Design Input Review, Checklist, Drawing, Design Calculation Sheet, Calculation Verification Sheet, Design Verification Checklist, Design Validation, Catalog

Instrumentation Valves and Fittings per attached scope of registration

DECLARATION:
 I HG. MOON (see note 3) employed by Hy-Lok Corporation and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Busan, Korea
 This 16TH day of September AD 2015
 Commissioner of Oaths or Notary Public: (sign) [Signature]

USE THIS SPACE FOR THE OFFICIAL SEAL



This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C15291.2
 FID#: 15234

REGISTRATION ONLY

CRN 0C15291.27

EXAMINER: [Signature]
 for
CHIEF BOILER INSPECTOR

DATE: 10/30/2015

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
 - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BLRs PVs
 FITTINGS COMPONENTS

Sect. 1.0 - Fittings Rev. 1.06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEWFOUNDLAND AND LABRADOR

NEW BRUNSWICK
YUKON

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

MANUFACTURERS NAME: Hy-Lok Corporation
 MANUFACTURERS ADDRESS: 97, Noksansandan 27-ro, Gangseo, Busan, Korea

PLANT LOCATIONS: Busan, Korea

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B31.3 - 2012

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges; all flanges
- C Valves; all line valves
- D Expansion joints, flexible connections, and hose assemblies; all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

Hy-Lok

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Design Schedule, Design Plan, Control of Design Interface, Design Specification Data Sheet, Design Input Review, Checklist, Drawing, Design Calculation Sheet, Calculation Verification Sheet, Design Verification Checklist, Design Validation, Catalog
 Instrumentation Valves and Fittings per attached scope of registration

DECLARATION:

H.G. MOON (see note 3) employed by Hy-Lok Corporation and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Busan, Korea

This 16TH day of September AD 2015


Commissioner of Oaths or Notary Public: (sign) [Signature]

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0C15291.2

FID#: 15234



Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NEWFOUNDLAND AND LABRADOR

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Hy-Lok Corporation

MANUFACTURERS ADDRESS: 97, Noksansandan 27-ro, Gangseo, Busan, Korea

PLANT LOCATIONS: Busan, Korea

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B31.3 - 2012

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

Hy-Lok

TYPE OF CONSTRUCTION

FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Design Schedule, Design Plan, Control of Design Interface, Design Specification Data Sheet, Design Input Review, Checklist, Drawing, Design Calculation Sheet, Calculation Verification Sheet, Design Verification Checklist, Design Validation, Catalog

Instrumentation Valves and Fittings per attached scope of registration

DECLARATION:

H.G. MOON (see note 3) employed by Hy-Lok Corporation and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Busan, Korea

This 16TH day of September AD 2015

Commissioner of Oaths or Notary Public: (sign) [Signature]

USE THIS SPACE FOR OFFICIAL SEAL

This space for Regulatory Authority use


This registration must be revalidated after ten (10) years from the date of acceptance

CRN: OC15291.2

FID#: 15234

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



7/63.00

Sec. 1.0 - Fittings Rev. 1 05/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Hy-Lok Corporation

MANUFACTURERS ADDRESS: 97, Noksansandan 27-ro, Gangseo, Busan, Korea

PLANT LOCATIONS: Busan, Korea

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 Class 2 Class 3 , (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B31.3 - 2012

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

Hy-Lok

TYPE OF CONSTRUCTION

- FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Design Schedule, Design Plan, Control of Design Interface, Design Specification Data Sheet, Design Input Review, Checklist, Drawing, Design Calculation Sheet, Calculation Verification Sheet, Design Verification Checklist, Design Validation, Catalog Instrumentation Valves and Fittings per attached scope of registration

DECLARATION:

H.G. MOON (see note 3) employed by Hy-Lok Corporation and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Busan, Korea

This 16TH day of September AD 2015

Commissioner of Oaths or Notary Public: (sign) [Signature]

USE THIS SPACE FOR THE

OFFICIAL SEAL

NUNAVUT

Boilers and

Pressure Vessels Act

This space for Regulatory Authority use
 This registration must be revalidated after 10 years from the date of acceptance.

CRN: 0C15291.2

FID#: 15234

REGISTERED
 CRN 0C15291.2 N
 Date 09 30 2015
 Signed [Signature]
 Chief Registrar

Territorial Registration Fee

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.